



**PE 85m μ BLOWN, TRANSPARENT GLOSSY GLASSINE PAPER,
PERMANENT**

Face

Coextruded blown, PE-film, transparent glossy.

Type

Coated

| | Method | Unit | Target |
|---------------------|---------------|-------------------|---------------|
| Thickness | ISO 534 | μm | 85 \pm 4 |
| Stretch at Break md | DIN 53455 | % | - |
| Tear Resistance md | ISO 1924/1 | N/mm ² | - |

Adhesive

Permanent Adhesive P6: Copolymeric, acrylates, solvent free, excellent resistance to UV-light and ageing, complies with EN 71/3 (application on toys) and European packaging directive 94/62/EC (heavy metals). All adhesives are approved for application on dry and moist, non-fatty foods (ISEGA certificate).

| | Method | Unit | Target |
|------------------------|---------------|-------------|-----------------|
| Peel Adhesion 90° | FTM 1 glass | N/25mm | 14 \pm 6 |
| Min. Appl. Temperature | | °C | - 30 up to + 90 |
| Service Temperature | | °C | min. + 5 |

Liner

Super-calendared high density white glassine paper, high tensile strength, excellent die-cutting properties, solvent free siliconization for highest labelling velocities.

| | Method | Unit | Target |
|--------------|---------------|------------------|---------------|
| Basis Weight | ISO 536 | g/m ² | 65 \pm 2 |
| Thickness | ISO 534 | μm | 57 \pm 2 |

Application and use

The product is designed for decorative labels for cosmetics, food, chemistry, etc.

Converting and Printing

Surface is suitable for excellent print quality by for letterpress, flexo-, offset, gravure and screen printing as well as hot and cold foil stamping.

Packaging

The rolls are sliced according to customer requirements and packed with shrink films. They are delivered on pallets. Product description labels are fixed on rolls.

Shelf Life and Storage Conditions

Two years when stored away from direct sunlight and heat, in a dark, dry place at a temperature of 23 °C \pm 2 °C with a relative humidity of 50 %, \pm 5%.

Ref: 6PD6K 2586

Date: 03/09/2018

All products supplied by Platinum Paper Limited are subject to the manufacturers strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable, but does not constitute a warranty. Because of the variety of uses of Platinum Paper products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. The seller shall not be liable for damages in excess of the purchase price of the product nor for incidental or consequential damages. All specifications are subject to change without prior notice.