

Platinum Paper

Product: Coated Plus Perm Hot Melt

Face Material	Target	Unit	Method
Substance	80 ± 4	g/m ²	ISO 536
Thickness	65± 5	μ	ISO 534

Description: White clay coated, wood free paper for general purpose. Calendered with medium gloss level.

Adhesive	Target	Unit	Method
Final Adhesion	12	N/25mm	FTM 2
Shear (1kg, in ² /glass)	Very High	min	FTM 8
Tack	19	N/25mm	FTM 9
Min Application Temperature	0	°C	
Service Temperature	-20 to +70	°C	

Type: Rubber based hot melt adhesive, with high grammage. High tack and adhesion, particularly on difficult apolar surface. This adhesive is approved by ISEGA (Direct contact dry & moist, non fatty foodstuffs) according to the German Recommendations XIV.

Liner	Target	Unit	Method
Basis weight	58 ± 3	g/m ²	ISO 536
Thickness	51 ± 4	μ	ISO 534

Description: Yellow Glassine paper

Application and use

Typical applications: high quality multicoloured labels for general and promotional uses.

Converting and Printing

Suitable for different printing systems: letterpress, flexo, offset and gravure. Also for thermal transfer with selected ribbons.

Packaging

The rolls are sliced according to customer requirements and packed with shrink films. They are delivered on pallets or in cartons. Product description labels are fixed on rolls.

Shelf Life and Storage Conditions

2 years when stored away from direct sunlight and heat, in a dark, dry place at a temperature of 20 °C ± 2 °C with a relative humidity of 50 %, ± 5%.

Ref: COPL / RP1011 / 01863

Date: 10/2/18

All products supplied by Platinum Paper Limited are subject to the manufacturers strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable but does not constitute a warranty. Because of the variety of uses of Platinum Paper products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. The seller shall not be liable for damages in excess of the purchase price of the product nor for incidental or consequential damages. All specifications are subject to change without prior notice.