

Platinum Paper

Triplex PP60 Gloss White Removable

Face Material	Target	Unit	Method
Substance	48 ± 10%	g/m ²	ISO 536
Thickness	50 ± 10%	μ	ISO 534

Description: Gloss white top coated polypropylene

Adhesive	Target	Unit	Method
Final Adhesion	3	n/25mm	FTM 2
Shear (1kg, in ² /glass)	High	min	FTM 8
Tack (quick stick stainless steel)	2	n/25mm	FTM 9
Min Application Temperature	+5	°C	
Service Temperature	-40 to +120	°C	

Type: Removable adhesive designed to give good adhesion and clean removal from wide range of smooth finish homeware items. This adhesive complies with FDA 175.105.

Adhesive	Target	Unit	Method
Final Adhesion	3	n/25mm	FTM 2
Shear (1kg, in ² /glass)	High	min	FTM 8
Tack (quick stick stainless steel)	2	n/25mm	FTM 9
Min Application Temperature	+5	°C	
Service Temperature	-40 to +120	°C	

Type: Acrylic permanent adhesive featuring high clarity and cohesion with strong adhesion to apolar substrates (like PE and PP). This adhesive is approved by ISEGA (Direct contact dry & moist, non fatty foodstuffs) according to the German Recommendations XIV and complies with FDA 175.105.

Liner	Target	Unit	Method
Basis weight	62 ± 10%	g/m ²	ISO 536
Thickness	54 ± 10%	μ	ISO 534

Description: One sided siliconised White Glassine

Application and use

For promotional label where a self adhesive label can be removed from its original place.

Converting and Printing

Variable information can be applied by a wide variety of thermal transfer printer/ribbon combinations. The matt surface can be pre-printed by letterpress flexographic, screen and litho process.

Packaging

The rolls are slit according to customer requirements. They are delivered on pallets or in cartons. Product description labels are fixed on rolls.

Shelf Life and Storage Conditions

2 years when stored away from direct sunlight and heat, in a dark, dry place at a temperature of 20 °C ± 2 °C with a relative humidity of 50 %, ± 5%.

Ref: Triplex PP60 Gloss White Removable / AR801 AP901 / 10967

Date: 29/01/2014

All products supplied by Platinum Paper Limited are subject to the manufacturers strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable but does not constitute a warranty. Because of the variety of uses of Platinum Paper products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. The seller shall not be liable for damages in excess of the purchase price of the product nor for incidental or consequential damages. All specifications are subject to change without prior notice.