

Platinum Paper

Product: PP Void Custom Clean

Face Material	Target	Unit	Method
Substance	43 ± 4	g/m ²	ISO 536
Thickness	48 ± 5	μ	ISO 534

Description: Clear polypropylene film with Top Coating for printing. Available in a selection of colours.

Adhesive	Target	Unit	Method
Peel adhesion (180°) 20 min	>7	N/25mm	FTM 1
Peel adhesion (180°) 24 h	>9	N/25mm	FTM 1
Shear (1kg, in ² /glass)	>15	hrs	FTM 8
Tack (quick stick stainless steel)	>7	N/25mm	FTM 9
Min Application Temperature	+15	°C	
Service Temperature	-10 to +80	°C	

Type: Permanent acrylic adhesive, water based with medium initial and final adhesion. Low cohesion.

Liner	Target	Unit	Method
Basis weight	78 ± 3	g/m ²	ISO 536
Thickness	68 ± 3	μ	ISO 534
Release	6 ± 3	g/25mm	FTM 3

Description: Super calendared, high density backing paper 78 gr/sqm. Constant thickness, good mechanical properties, suitable for automatic labelling. Good quality for optical scanning.

Application and use

This product is designed for security labels. The print is customisable and will be visible only upon removal of the label. No trace will be left on the application surface.

Packaging

The rolls are slit according to customer requirements. They are delivered on pallets or in cartons. Product description labels are fixed on rolls.

Shelf Life and Storage Conditions

2 years when stored away from direct sunlight and heat, in a dark, dry place at a temperature of 20 °C ± 2 °C with a relative humidity of 50 %, ± 5%.

Ref: CR 252531

Date: 04/03/2018

All products supplied by Platinum Paper Limited are subject to the manufacturers strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable but does not constitute a warranty. Because of the variety of uses of Platinum Paper products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. The seller shall not be liable for damages in excess of the purchase price of the product nor for incidental or consequential damages. All specifications are subject to change without prior notice.