

Product: Uncoated Coverall (blue back) Perm Acrylic

Face Material	Target	Unit	Method
Substance	82	g/m ²	ISO 536
Thickness	74	μ	ISO 534

Description: A high white, very smooth, wood free FSC grade face paper with a dark blue opaque coating.

Adhesive	Target	Unit	Method
Peel Adhesion	14 - 16	N/25mm	FTM 1
Loop Tack (glass)	10 - 14	N/25mm	FTM 9
Min Application Temperature	+0	°C	
Service Temperature	-20 to +60	°C	

Type: Acrylic permanent adhesive with a high tack value to both high and low energy surface substrates.

Liner	Target	Unit	Method
Basis weight	57 ± 3	g/m ²	ISO 536
Thickness	53 ± 4	μ	ISO 534

Description: Super-calendared honey glassine. Silicone coated one side

Application and use

A general multipurpose label paper with an opaque coating, especially suitable for thermal transfer printing.

Converting and Printing

Suitable to be used with a variety of printing techniques, including flexographic, screen and litho. Vellum face paper is especially suitable for thermal transfer printing.

Packaging

The rolls are slit according to customer requirements. They are delivered on pallets or in cartons. Product description labels are fixed on rolls.

Shelf Life and Storage Conditions

1 year when stored away from direct sunlight and heat, in a dark, dry place at a temperature of 20 °C ± 2 °C with a relative humidity of 50 %, ± 5%.

Ref: Uncoated Coverall (blue back)/ 06GH /02P11

All products supplied by Platinum Paper Limited are subject to the manufacturers strict manufacturing controls to guarantee good quality products. The above information is based on research believed to be reliable but does not constitute a warranty. Because of the variety of uses of Platinum Paper products and the continuing development of new applications, the purchaser should carefully consider the suitability and performance of the product for each intended use, and the purchaser shall assume all risks regarding such use. The seller shall not be liable for damages in excess of the purchase price of the product nor for incidental or consequential damages. All specifications are subject to change without prior notice.